



BECKER

Flexible Shelf System

INFORMATION

**2-1
E**

2014

Becker Flexible Shelf System

Everything stored, transported and made available in clear view, ready to be picked up quickly: Thanks to the numerous options of combining the elements of Becker's Flexible Shelf System you keep track of the diverse materials and sterile products you need for the ward, the operating theatre, the central sterilisation unit and all functional areas.

The shelf system supports you in all work flows while saving you time and space. The system structure is modular and flexible. You yourself determine how the individual modules will be arranged depending on your work needs.

You can combine the accessories for hook bars and hook trolleys which will be available for many years and which allow you to adapt in an ideal manner the workplace at any time to changing work conditions.



Flexible Shelf System: Mounting widths 530 – 150 – 530 mm



130431 – Register 3



130600 – Register 3



Wall-mounted shelf system 900 (page 2-1.11)

All accessories for the wall-mounted shelf system 900 are at least 895 mm wide. Combination with the flexible shelf system (~ 600 mm wide) is extremely limited.



110488 – Register 1

Material

Unless otherwise specified, all elements are made of easy to clean and highly hygienic chrome nickel steel AISI 304 (1.4301). Wire parts have been electropolished with a burr-free finish.



ILLUSTRATION	DESCRIPTION	ART. NO.
	<p>System hook trolleys With pairs of hooks for hanging up sterilisation baskets and system supports. Made of chrome nickel steel square pipe 25 x 25 mm, material no. AISI 304 (1.4301). Mobile on four electrically conductive swivel castors of 75 mm diam., 2 lockable, with double ball bearing, thread guard and wall protection.</p> <p>Hook trolley with hooks on one side with three pairs of hooks [600 x 500 x 1450 mm] with four pairs of hooks [600 x 500 x 1850 mm]</p> <p>Hook trolley with hooks on both sides with a total of 6 pairs of hooks [600 x 675 x 1450 mm] (three on each side) with a total of 8 pairs of hooks [600 x 675 x 1850 mm] (four on each side)</p>	<p>120010</p> <p>120015</p> <p>120020</p> <p>120025</p>
	<p>System hook bars With welded-on hooks for hanging up sterilisation baskets and system supports. Made of chrome nickel steel rectangular pipe 30 x 15 mm, material no. AISI 304 (1.4301) with plastic end caps and fastening material for wall mounting.</p> <p>Pair of wall hook bars Distance between hooks 350 mm for 1-StU basket height length 700 mm, with 2 hooks per bar length 1050 mm, with 3 hooks per bar length 1400 mm, with 4 hooks per bar length 1750 mm, with 5 hooks per bar</p> <p>Pair of wall hook bars Distance between hooks 220 mm for 1/2-StU baskets height length 930 mm, with 4 hooks per bar length 1650 mm, with 7 hooks per bar</p>	<p>120040</p> <p>120045</p> <p>120050</p> <p>120055</p> <p>120070</p> <p>120075</p>













ILLUSTRATION	DESCRIPTION	ART. NO.
	<p>Sterilisation baskets and wire partitions Made of chrome nickel steel AISI 304 (1.4301), electropolished, burr-free finish, closed wire loops.</p> <p>StU Baskets Welded centrally under the upper frame, base frame designed for stacking. TÜV-tested. Design according to DIN 58952</p> <p>Wire frame thickness: upper frame 6 mm / bottom frame 5 mm Wire mesh thickness: vertical 2.5 mm / horizontal 3 mm Mesh size: bottom: 20 x 20 mm Side: 1/2-StU: 20 x 35 mm / 1- and 2-StU: 20 x 40 mm</p> <p>Load-bearing capacity: 1/2-StU basket approx. 20 kg, 1-StU basket + 2-StU basket approx. 30 kg</p>	
	<p>1/2-StU-basket 575 x 280 mm, 135 mm high</p>	120100
	<p>1/2-StU-basket with slanted access 575 x 280 mm, 135 mm high</p>	120110
	<p>1-StU-basket 575 x 280 mm, 265 mm high</p>	120120
	<p>1-StU-basket with opening 300 x 120 mm 575 x 280 mm, 265 mm high</p>	120130
	<p>2-StU-basket 575 x 560 mm, 265 mm high</p>	120140
	<p>Wire partition for 1/2-StU-basket [280 x 120 mm] for 1/2-StU-basket with slanted access [255 x 120 mm] for 1-StU-basket and 1-StU-basket with opening [280 x 240 mm]</p>	120103 120113 120123
	<p>Labeling plate simple clip-on mounting</p>	
	<p>for 1/2-StU-basket [100 x 80 mm]</p>	120116
	<p>for 1-StU-basket and 2-StU-basket [100 x 100 mm]</p>	120146
	<p>Angled support for one sterilisation basket [35 x 50 x 115 mm]</p>	120160
	<p>Perforated wire trays, PP containers, wire sieve tray; see Register/Brochure 5</p>	






ILLUSTRATION	DESCRIPTION	ART. NO.
	<p>Container holder for hanging up of plastic and wire system containers on wall-mounted hook bars and hook trolleys; chrome nickel steel AISI 304 (1.4301).</p>	
	<p>Container holder (without containers) for 3 containers size 3 [580 x 40 x 250 mm] for 4 containers size 4 [580 x 40 x 180 mm] for 5 containers size 5 [580 x 40 x 110 mm]</p> <p>Container holder, universal (without containers) for 5 containers size 5 and 4 containers size 4 [580 x 40 x 300 mm] for 10 containers size 5 [580 x 40 x 220 mm]</p>	<p>120200 120203 120206 120210 120213</p>
	<p>System plastic container made of polyethylene, heat-resistant up to 80°C, can be stacked and hung up on container holder</p> <p>Colours: – blue for non-sterilized items – green for sterilized articles – other colours upon request</p> <p>Container size 3, 210 x 350 mm, 200 mm high blue green</p> <p>Container size 4, 150 x 230 mm, 125 mm high blue green</p> <p>Container size 5, 100 x 170 mm, 75 mm high blue green</p>	<p>120230 120231 120240 120241 120250 120251</p>
	<p>See-through pane and lid, transparent</p> <p>for plastic container size 3 for plastic container size 4 for plastic container size 5</p>	<p>120235 120245 120255</p>
	<p>System wire container made of chrome nickel steel, closed wire loops. Can be stacked and hung up on container holder</p> <p>Wire container size 3, 210 x 350 mm, 200 mm high Wire container size 4, 150 x 230 mm, 125 mm high Wire container size 5, 100 x 170 mm, 75 mm high</p>	<p>120270 120273 120276</p>

ILLUSTRATION	DESCRIPTION	ART. NO.
 <p>120305</p>	<p>System dispenser made of chrome nickel steel Dispenser housing made of chrome nickel steel material no. AISI 304 (1.4301) with inserted plastic containers (including labels) for dispensing syringes, cannulas and other small items. Direct wall mounting (removable) is possible.</p>	
 <p>120320</p>	<p>Dispenser for syringes With 3 tilting bins [610 x 240 x 265 mm]</p>	120300
 <p>120340</p>	<p>With 3 bins, first in/first out principle [610 x 240 x 265 mm]</p> <p>Dispenser for cannulas and small items With 4 tilting bins [610 x 210 x 230 mm]</p> <p>With 5 tilting bins [610 x 170 x 190 mm]</p> <p>With 5 bins, first in/first out principle [610 x 190 x 190 mm]</p> <p>Combination dispenser in two rows, With 8 tilting bins [610 x 210 x 455 mm]*</p> <p>With 10 tilting bins [610 x 170 x 365 mm]*</p> <p>With 10 bins, first in/first out principle [610 x 190 x 365 mm]*</p>	120310 120320 120325 120330 120340 120345
<p>* Restrictions on using the pair of hooks mounted above.</p>		
 <p>120360</p>	<p>System dispenser made of plastic Plastic housing of sandy colour with transparent boxes tiltable and lockable in position (including labels) made of transparent ABS. Direct wall mounting (removable or fixed) is possible. Please let us know where you wish to mount the dispenser.</p>	
 <p>120385</p>	<p>Plastic dispenser With 3 tilting bins [600 x 205 x 245 mm]</p> <p>With 3 bins, first in/first out principle [600 x 205 x 245 mm]</p> <p>With 4 tilting bins [600 x 175 x 210 mm]</p> <p>With 5 tilting bins [600 x 135 x 170 mm]</p> <p>With 5 bins, first in/first out principle [600 x 155 x 170 mm]</p>	120360 120365 120370 120380 120385
	<p>Hinged compartment for small parts (in line with first in/first out principle) integrated in wall cabinet, see register/brochure 8</p>	







ILLUSTRATION	DESCRIPTION	ART. NO.
	<p>Storage shelf with bracket</p> <p>675 x 350 mm, 205 mm high 675 x 450 mm, 240 mm high 675 x 600 mm, 275 mm high</p>	<p>120400 120403 120406</p>
	<p>Wire shoe holder for six pairs of shoes [600 x 190 x 265 mm]</p>	<p>120430</p>
	<p>Wire shoe rack [600 x 320 x 270 mm]</p> <p>Operating theatre shoe rack for 24 pairs of shoes (mobile or wall-mounted) see register/brochure 3</p>	<p>120435</p>
	<p>Storage shelf for operating theatre accessories Powder-coated sheet steel – select colour from Becker colour list [610 x 400 x 330 mm]</p>	<p>120450</p>
	<p>General purpose storage shelf [610 x 330 x 180 mm]</p> <p>Chrome nickel steel Powder-coated sheet steel – select colour from Becker colour list</p>	<p>120460 120465</p>
	<p>Laundry bag retaining bracket with special adhering ring [580 x 270 x 180 mm]</p>	<p>120475</p>








ILLUSTRATION	DESCRIPTION	ART. NO.
	<p>Glove dispenser for sterile gloves with three compartments for approx. 50 pairs of gloves each [580 x 320 x 265 mm]</p>	120480
	<p>Glove dispenser for non-sterile gloves freely adjustable, suitable for 3 packs of standard glove boxes, with hook-in holder [550 x 115 x 335 mm]</p>	120490
	<p>Glove dispenser for 5-6 of non-sterile glove boxes max. box size: 135 x 255 (min. 220) x 90 mm Direct wall mounting (removable) is possible. [675 x 120 x 290 mm] (without boxes)</p>	
	<p>Suture shelves holds up to 20 standard packs [600 x 165 x 290 mm]</p>	120530
	<p>Suture storage wire shelves with 2 rows (for 10 packs) [605 x 135 x 185 mm] with 4 rows (for 20 packs) [605 x 135 x 365 mm]</p>	120540 120545
	<p>Suture storage cabinet 657 x 230 mm, 550 mm high with pair of framed glass doors, 5 intermediate shelves for storing 30 standard suture material boxes (not suitable for hook trolleys)</p>	
	<p>made of powder-coated sheet steel select colours from Becker colour list for direct wall mounting for hanging up on hook bars (in this case the hook pair below cannot be used)</p> <p>made of chrome nickel steel for direct wall mounting for hanging up on hook bars (in this case the hook pair below cannot be used)</p>	120550 120555 120560 120565

ILLUSTRATION	DESCRIPTION	ART. NO.
	<p>Holder for anaesthesia tubes and operation towels with 11 hooks [550 x 45 x 185 mm]</p>	120580
	<p>Wire holder for anaesthesia tubes and operation towels with 11 hooks [600 x 120 x 185 mm]</p>	120585
	<p>Multi-purpose holder with standard profile rail for operating theatre accessories or anaesthetic equipment [615 x 50 x 180 mm]</p>	120590
	<p>Shelf for urine bottles, up to 5 bottles [580 x 230 x 230 mm]</p>	120600
	<p>Wire holder for urine bottles up to 4 bottles [560 x 260 x 270 mm]</p>	120605
	<p>Shelf for bedpans [610 x 360 x 180 mm]</p>	120610
	<p>Wire holder for bedpans German model [560 x 280 x 180 mm]</p>	120615
	<p>Writing desk with compartment below [580 x 400 x 240 mm]</p>	120620

ILLUSTRATION	DESCRIPTION	ART. NO.
	<p>Drip pan holder (without drip pan) [550 x 325 x 60 mm]</p>	120630
	<p>Drip pan holder with lid rack (without drip pan and lid) [550 x 320 x 305 mm]</p>	120635
	<p>Drip pan – GN container Seamless moulded, chrome nickel steel AISI 304, system lid fits on top 530 x 325 mm, 100 mm high</p>	120640
	<p>530 x 325 mm, 150 mm high</p>	120643
	<p>530 x 325 mm, 200 mm high</p>	120646
	<p>Lid with recessed handle for drip pan 530 x 325 mm</p>	120649
	<p>Shelf for sterile supplies container with rack for 60/30 container lid [590 x 290 x 260 mm]</p>	120650
	<p>Hanging rail with 8 hooks for sterile goods packed in foil with eye, usable hook length 160 mm [555 x 195 x 75 mm]</p>	120520
	<p>Wire rack for sterile packing paper [560 x 255 x 310 mm]</p>	120670
	<p>Roll holder Maximum roll diameter: 240 mm [630 x 270 x 195 mm]</p>	120705
	<p>Roll holder with cutter maximum roll diameter: 300 mm [630 x 370 x 280 mm]</p>	120710

ILLUSTRATION	DESCRIPTION	ART. NO.
	<p>Pair of wall hook bars 900 vertical hook distance 220 mm With welded-on hooks for hanging up the following accessories. Made of chrome nickel steel rectangular pipe 40 x 20 mm, material AISI 304 (1.4301) with plastic end caps and fastening material for wall-mounting.</p> <p>760 mm long, with 3 hooks per bar 1200 mm long, with 5 hooks per bar</p>	<p>121030 121035</p>
	<p>Storage shelf 895 x 290 mm, 145 mm high*</p> <p>* To obtain a continuous storage surface, mount the pairs of wall hook bars without spacing.</p>	<p>121060</p>
	<p>Wire shelf rack 895 x 290 mm, 150 mm high 895 x 390 mm, 150 mm high</p> <p>Wire divider for shelf rack 290 mm deep for shelf rack 390 mm deep</p>	<p>121080 121085 121083 121086</p>
	<p>Wire basket 1045 x 560 x 400/180 mm**</p> <p>Wire divider for basket 560 mm deep</p> <p>** 180 mm mounting distance between hook bar pairs when baskets are hooked in next to each other</p>	<p>410 67 110 410</p>
	<p>Container holder for 5 containers size 4 (without container) [890 x 40 x 180 mm]</p> <p>For plastic and wire containers, see Page 2-1.5</p>	<p>121170</p>
	<p>Sorting rack with 8 hooks [900 x 170 x 120 mm]</p>	<p>121220</p>
	<p>Roll holder with cutter maximum roll diameter: 250 mm [895 x 305 x 170 mm]</p>	<p>121260</p>

BECKER



For decades Becker quality steel furniture and equipment have been a fixed item in medical technology in clinics and hospitals.

Design, individual choice of colours as well as an extensive range of items and sizes allow you to make optimum use of your available space. The resulting concept is customized to your needs and logical through and through.



Metallwarenfabrik
Walter H. Becker GmbH
Anzenkirchener Strasse 4
84371 Triftern, Germany

Phone +49(0)8562 9605-0
Fax +49(0)8562 9605-64
info@becker-triftern.de
www.becker-triftern.de

Becker equipment:

- for the ward
- for the operating theatre
- for the central sterilisation unit
- for all functional rooms