

PRODUCTS

M9 E 913/2





Becker steel furniture from the B series is manufactured with electrolytically galvanised and chromatised thin sheet steel. Surfaces are powder-coated. The customer may choose the colours from the Becker Colour list. Different colours and powder coatings are available on request for an additional charge. All furniture is highly scratch and shock resistant as well as robust in contact with chemical agents.

Tall cabinets consist of double-walled, sound-deadened and reinforced components. The system includes an inserted doublewalled floor, single wall rear panel and a double-walled top. Rear panels are also available double-walled for an additional charge.

Doors are equipped with dust resistant rubber sealing attached to wide angle hinges with a maximum 270-degree opening angle. Optional cabinet closures/locks are available as stated in the furniture description.

Robust, folded base frame with levelling fixture, standard height 100 mm.

ILLUSTRATION



BH200 67 090 2802

DESCRIPTION

ART. NO.

Dimensions: width 900 mm, depth 670 mm,

height 2100 mm incl. 100 mm base Made of: powder-coated sheet steel

Storage cabinet

with a pair of swinging doors, 2 bridge handles, 6 grid ledges with a pair of glass swinging doors mounted in the frame, 2 bridge handles, 6 grid ledges

"Central divider" add-on module shortened, for use as a 60x40 modular storage cabinet B01 MTW67 200 01

BH200 67 090 2000

BH200 67 090 2010

Modular storage cabinet

with two swinging doors, 2 bridge handles, middle dividing wall Made to accommodate module fittings.

BH200 67 090 2802

with two lockable swinging doors, middle dividing wall.

BH200 67 090 2802Z

Made to accommodate module fittings.

BH200 67 090 2802

with two swinging doors, 2 bridge handles, middle dividing wall and two pairs of inside panels with slots for modules (ISO)

+2 x 386 05







OR Trolley M9

Made of powder-coated sheet steel, in a colour selected by the customer from the Becker colour list. Self-contained cabinet construction with double-walled sides and cover plate. 2 welded-on handles. A pair of lockable swinging doors opening 270°,

doors can be fixated in open position. Sturdy tubular frame construction (with wall protection strips) on 4 swivel castors, 125 mm Ø, 2 with brakes. External dimensions: 1030 x 760 mm, 1450 mm high

Suitable to accommodate M9 accessories or for use as a modular trolley.

ILLUSTRATION

DESCRIPTION

ART. NO.

OR modular trolley M9 with middle dividing wall to hold inside panels with slots for modules (ISO)

BM09 100



OR modular trolley M9 equipped

BM09 105 2

with two pairs of inside panels with slots for modules 6 module baskets 600 x 400 mm, 200 mm high and 4 module baskets 600 x 400 mm, 100 mm high (without dividers)



OR Trolley M9

BM09

with 6 grid ledges (suitable for custom fit-out with M9 accessories)

OR Trolley M9 for drapes

BM09 205

one chrome nickel steel basket and one interior drawer 100 mm high with chrome nickel steel wire railing (without wire dividers)



Trolley for linen & surgical drapes

with 3 hanging wire baskets 845 x 560 x 400/180 mm high (without wire dividers)

on 4 swivel castors 75 mm ø, 2 with brakes 130430 [980 x 590 mm, height 1635 mm]

on 4 swivel castors 100 mm ø, 2 with brakes 130431 [980 x 590 mm, height 1660 mm]

Wire divider for basket 410 chrome nickel steel



ILLUSTRATION







ART. NO.

Adjustable shelves Made of chrome nickel steel or powder-coated sheet steel in the same colour as cabinet body 20 mm, including shelf support

Single-walled shelf, powder-coated sheet steel 551 67 090 Double-walled shelf, powder-coated sheet steel 552 67 090 Single-walled shelf, chrome nickel steel 553 67 090 Double-walled shelf, chrome nickel steel 554 67 090

For Art. No. B01 0250, B01 0255 and B01 0260 67 Double-walled and reinforced shelf, powder-coated

sheet steel

552 67 090VS

Double-walled reinforced shelf, chrome nickel steel

554 67 090VS

Wire divider

in chrome nickel steel, height 280 mm, for shelves in cabinets/trolleys, 670 mm deep

540



Interior drawers

powder-coated sheet steel in RAL 9010, pure white with ledge handle

 Interior drawer 60 mm high
 B01 A67 090 060

 Interior drawer 100 mm high
 B01 A67 090 100

 Interior drawer 150 mm high
 B01 A67 090 150

 Interior drawer 185 mm high
 B01 A67 090 185



Pair of hooks and storage baskets

Baskets made of chrome nickel steel. Pair of hooks in powder-coated sheet steel RAL 9010, pure white, for hooking in grid ledges

 Pair of hooks for hanging up a basket
 B01 0020

 Basket 1/2 StU [575 x 280 x 135 mm]
 120100

 Basket 1/2 StU slanted access [575 x 280 x 135 mm]
 120110

 Basket 1 StU [575 x 280 x 265 mm]
 120120

 Basket 1 StU opening access [575 x 280 x 265 mm]
 120130

Divider and labeling area see brochure "Flexible Shelf System"



ART. NO.

410

410 67 090

ILLUSTRATION	DESCRIPTION
	Wire basket M9 chrome nickel steel, height 400/180 mm, including shelf support
	Wire divider for basket chrome nickel steel

Inclined tray



Wire railing M9 chrome nickel steel, height 320 mm for drawer starting at height 100 mm Wire divider for railing chrome nickel steel 415 67 090 415 67 090 415



Transparent inclined tray, acrylic,
with 4 adjustable dividers, 57 mm high
including shelf support

for additional division:
Divider for transparent inclined tray
length 545 mm

400 67 090

400 67 090



made of powder-coated sheet steel in RAL 9010, pure white including shelf support (without dividers, see pages 92.5 and 92.6) 60 mm high B01 B67 090 060 B01 B67 090 100



Pullout frame to accommodate 2 ISO modules chrome nickel steel (without modules)



Pullout hanger V01 0190 67 090 chrome nickel steel



ILLUSTRATION DESCRIPTION

Drawer division – Series U10 made of powder-coated sheet steel in RAL 9010, pure white

For storage of small parts - 14 compartments
7 inserts 115 mm wide, 7 dividers in total, height 60 mm for drawers at least 60 mm high

Divider 115/60 for additional partitioning of compartments U10 T115 06

For storage of surgical instruments - 10 compartments U10 V67 090 06 10 4 inserts 200 mm wide, 6 dividers in total, height 60 mm

ART. NO.

U10 V67 090 06 14

for drawers at least 60 mm high

Divider 200/60 for additional partitioning of compartments U10 T200 06



For storage of surgical instruments - 8 compartments U10 V67 090 08 8

4 inserts 200 mm wide, 4 dividers in total, height 80 mm for drawers at least 100 mm high

Divider 200/80 for additional partitioning of compartments U10 T200 08



Drawer divider for storage of sterile implants -

Series U21

Combination plastics/powder-coated sheet steel in RAL 9010, pure white

Transverse divider set in 4 compartments

 40 mm high, starting at drawers 60 mm high
 U21 Q67 090 04 4

 80 mm high, starting at drawers 100 mm high
 U21 Q67 090 08 4

 140 mm high, for drawers 150 mm oder 185 mm high
 U21 Q67 090 14 4

for additional transverse division:

Plastic divider legde, 40 mm high

Plastic divider legde, 80 mm high

U21 T67 04 1

U21 T67 08 1

Plastic divider legde, 140 mm high

U21 T67 14 1



Drawer divider for storage of film-wrapped materials -

Series U21

Combination plastics/powder-coated sheet steel in RAL 9010, pure white

Longitudinal divider set in 3 compartments

 40 mm high, starting at drawers 60 mm high
 U21 L67 090 04 3

 80 mm high, starting at drawers 100 mm high
 U21 L67 090 08 3

 140 mm high, for drawers 150 mm or 185 mm high
 U21 L67 090 14 3

for additional transverse division:

Plastic divider legde, 40 mm high

Plastic divider legde, 80 mm high

U21 T090 04

U21 T090 08

Plastic divider legde, 140 mm high

U21 T090 14





ILLUSTRATION

DESCRIPTION

ART. NO.



Drawer division for storage of utensils – Series U21 Combination plastics/powder-coated sheet steel

in RAL 9010, pure white

Cross divider set in 9 compartments

40 mm high, starting at drawers 60 mm high 80 mm high, starting at drawers 100 mm high 140 mm high, for drawers 150 mm or 185 mm high U21 VB67 090 04 9 U21 VB67 090 08 9 U21 VB67 090 14 9



Cross divider set in 12 compartments

40 mm high, starting at drawers 60 mm high 80 mm high, starting at drawers 100 mm high 140 mm high, for drawers 150 mm or 185 mm high U21 VC67 090 04 12 U21 VC67 090 08 12 U21 VC67 090 14 12

U21 VM67 090 08 10



Drawer division for storage of sulture - Series U21


Combination plastics/powder-coated sheet steel in RAL 9010, pure white

10 compartments, 80 mm high, starting at drawers 100 mm high

for additional division:

Plastic divider 127 mm wide, 80 mm high

U21 T 0127 08



Label strip, magnetic back, open at top

height 32 mm, length 105 mm289-32 105height 32 mm, length 250 mm289-32 250height 32 mm, length 400 mm289-32 400height 60 mm, length 105 mm289-60 105height 60 mm, length 250 mm289-60 250height 60 mm, length 400 mm289-60 400



Inscription label strip, magnetic back

with label card and transparent cover

height 20 mm, length 800 mm 289 090 20 height 40 mm, length 800 mm 289 090 40



Label pocket, magnetic back

100 x 35 mm high, open at side, with label card	289-01
100 x 50 mm high, open at side, with label card	289-02
90 x 60 mm high, open at top	289-03
A4, open at top	289-05



ILLUSTRATION



DESCRIPTION

ART. NO.

Pullout drawer for sterile gloves

first in/first out principle with raised shelf at rear, free space at front approx. 295 mm deep

powder-coated sheet steel in RAL 9010, pure white

B01 A67 090 020-000



Multi purpose pullout drawers For sterile goods, packaged material and surgical laundry, or storage of surgical equipment

powder-coated sheet steel in RAL 9010, pure white with ledge handle

Multi purpose pullout drawer

edge 60 mm high with pullout chrome nickel steel support plate 20 mm high B01 A67 090 020-060



Multi purpose pullout drawer for equipment

multiple outlet power strips, 6 connections, total height 300 mm (electrical connection to be determined)

B01 A67 090 020-300



Special anaesthesia suspension

Made of chrome nickel steel, 5 combination hooks for about 15 tubes and anaesthesia

Special anaesthesia suspension rear, 5 specialized hooks Special anaesthesia suspension center, 5 specialized

V01 0230 67 090

hooks

V01 0233 67 090



Suspension for surgical table accessories

Made of chrome nickel steel, suspension with standard equipment rail V01 0240 67 090



ILLUSTRATION



DESCRIPTION

ART. NO.

Rail for x-ray aprons in chrome nickel steel with 5 hooks, approx. 475 mm long

V01 0280 67 090



Storage for catheters or shrink wrapped one way or multi purpose products

Made of chrome nickel steel with 5 hooks, additional hooks available if needed, total of 11 drill holes

Catheter suspension rear, 5 hooks V01 0200 67 090 Catheter suspension center, 5 hooks V01 0203 67 090 Catheter suspension front, 5 hooks V01 0206 67 090 additional hook may be screwed on, if necessary,

usable length 135 mm

V01 0200



Catheter suspension telescopic

mounted on shelf,

6 telescope extensions with 5 welded-on hooks each powder-coated sheet steel in RAL 9010, pure white

Catheter rail with 5 hooks

for mounting on reinforced shelf (552 67 090VS or 554 67 090VS - see page 92.3) powder-coated sheet steel in RAL 9010, pure white B01 0250

B01 0250 67 090



Catheter storage rail, double-sided, telescopic mounted on shelf.

3 catheter pullouts with 10 chrome nickel steel hooks each (74 possible hook positions per unit) powder-coated sheet steel in RAL 9010, pure white

Catheter rail, double-sided

with 10 chrome nickel steel hooks and 74 possible positions for mounting on a reinforced shelf (552 67 090VS or 554 67 090VS - see page 92.3) powder-coated sheet steel in RAL 9010, pure white

B01 0255 67

B01 0255 67 090



ILLUSTRATION



DESCRIPTION ART. NO.

Storage frame for catheter packs, stents and staples

telescopic, with special division into 15 compartments powder-coated sheet steel RAL 9010, pure white

Height = 500 mm B01 0270 67 090 050

Height = 700 mm B01 0270 67 090 070

Height = 900 mm B01 0270 67 090 090



Fogarty catheter rack, telescopic

first in/first out principle, 10 slots, 330 mm wide, powder-coated sheet steel in RAL 9010, pure white for mounting on a reinforced shelf (552 67 090VS or 554 67 090VS - see page 92.3)

Please state from which side the catheters are to be removed.

B01 0260 67













Becker high-grade steel furniture and equipment have been in use in hospitals and medical centres for decades. Optimum use of available space is achieved through an extensive assortment of programs and sizes.

Special designs and individual choice of colours as well as custom-built systems offer the customer an enormous variety of options.

Metallwarenfabrik Walter H. Becker GmbH Anzenkirchener Str. 4 84371 Triftern, Germany

Tel. +49(0)8562 9605-0 Fax +49(0)8562 9605-64 info@becker-triftern.de www.becker-triftern.de