





Becker steel furniture from the B series is manufactured with electrolytically galvanised and chromatised thin sheet steel. Surfaces are powder-coated. The customer may choose the colours from the Becker Colour list. Different colours and powder coatings are available on request for an additional charge. All furniture is highly scratch and shock resistant as well as robust in contact with chemical agents.

Tall cabinets consist of double-walled, sound-deadened and reinforced components. The system includes an inserted double-walled floor, single wall rear panel and a double-walled top. Rear panels are also available double-walled for an additional charge.

Base cabinets include double-walled, sound-deadened and reinforced components with single part inner body. The system includes an inserted double-walled floor. Without worktop. Rear panels are also available double-walled for an additional charge.

Doors are equipped with dust resistant rubber sealing attached to wide angle hinges with a maximum 270-degree opening angle. Optional cabinet closures/locks are available as stated in the furniture description.

ART. NO.

Robust, folded base frame with levelling fixture, standard height 100 mm.

ILLUSTRATION



BH200 67 110 2000

DESCRIPTION

Dimensions: width 1100 mm, depth with doors 670 mm,

height 2100 mm incl. 100 mm base **Interior fitting:** 6 grid ledges

Made of: powder-coated sheet steel

Storage cabinet, height 2100 mm

open (depth 650 mm)

with a pair of swinging doors and 2 bridge handles

BH200 67 110 0000

BH200 67 110 2000

BH200 67 110 2000Z

with a pair of glass swinging doors

with a pair of glass swinging doors mounted in the frame and 2 bridge handles

BH200 67 110 2010

with a pair of lockable glass swinging doors mounted

in the frame

Base cabinet, height 860 mm (without worktop) open (depth 650 mm)

with a pair of swinging doors and 2 bridge handles

BH200 67 110 2010Z

BU076 67 110 0000

BU076 67 110 2000



OR Trolley M11 Made of powder-coated sheet steel, in a colour selected by the customer from the Becker colour list. Self-contained cabinet construction with double-walled sides and cover plate. 2 welded-on handles. A pair of lockable swinging doors opening 270°, doors can be fixated in open position. Sturdy tubular frame construction (with wall protection strips) on 4 swivel castors, 125 mm Ø, 2 with brakes. External dimensions: 1230 x 760 mm, 1450 mm high



ILLUSTRATION



DESCRIPTION

OR Trolley M11

with 6 grid ledges (suitable for custom fit-out with M11 accessories)

OR Trolley M11 for drapes

one chrome nickel steel basket and one interior drawer 100 mm high with chrome nickel steel wire railing (without wire dividers) ART. NO.

BM11

BM11 205



with 3 hanging wire baskets 1045 x 560 x 400/180 mm high (without wire dividers) on 4 swivel castors 100 mm ø, 2 with brakes [1180 x 590 mm, height 1660 mm]

Wire divider for basket

chrome nickel steel

130436

410





ILLUSTRATION







ART. NO.

Adjustable shelves Made of chrome nickel steel or powder-coated sheet steel in the same colour as cabinet body 20 mm, including shelf support

551 67 110
552 67 110
553 67 110
554 67 110

For Art. No. B01 0250, B01 0255 and B01 0260 67 Double-walled and reinforced shelf, powder-coated

sheet steel

552 67 110VS

554 67 110VS

Double-walled reinforced shelf, chrome nickel steel

Wire divider

in chrome nickel steel, height 280 mm, for shelves in cabinets/trolleys, 670 mm deep

540



Interior drawers

powder-coated sheet steel in RAL 9010, pure white with ledge handle

Interior drawer 60 mm high	B01 A67 110 060
Interior drawer 100 mm high	B01 A67 110 100
Interior drawer 150 mm high	B01 A67 110 150
Interior drawer 185 mm high	B01 A67 110 185



Pair of hooks and storage baskets

Baskets made of chrome nickel steel. Pair of hooks in powder-coated sheet steel RAL 9010, pure white, for hooking in grid ledges

Pair of hooks for hanging up a basket	B01 0020
Basket 1/2 StU [575 x 280 x 135 mm]	120100
Basket 1/2 StU slanted access [575 x 280 x 135 mm]	120110
Basket 1 StU [575 x 280 x 265 mm]	120120
Basket 1 StU opening access [575 x 280 x 265 mm]	120130

Divider and labeling area see brochure

"Flexible Shelf System"



410 67 110

A	M	M
		No

DESCRIPTION ART. NO.

Wire basket M11 chrome nickel steel, height 400/180 mm, including shelf support

Wire divider for basket 410 chrome nickel steel



Wire railing M11
chrome nickel steel, height 320 mm
for drawer starting at height 100 mm

Wire divider for railing
chrome nickel steel

415 67 110
415 67 110



Transparent inclined tray, acrylic,
with 6 adjustable dividers, 57 mm high
including shelf support

for additional division:
Divider for transparent inclined tray
length 545 mm

400 67 110



Inclined tray made of powder-coated sheet steel in RAL 9010 pure white including shelf support (without dividers, see pages 94.5 and 94.6)

60 mm high B01 B67 110 060 100 mm high B01 B67 110 100



Pullout frame to accommodate 2 DIN modules chrome nickel steel (without modules)

V01 0182 67 110



Pullout hanger chrome nickel steel

V01 0190 67 110



ILLUSTRATION



ART. NO.

U10 V67 110 06 21

U10 V67 110 08 10



Drawer division - Series U10

made of powder-coated sheet steel in RAL 9010, pure white

For storage of small parts - 21 compartments
7 inserts 115 mm wide and 1 insert 200 mm wide,
13 dividers in total, height 60 mm for drawers at least

60 mm high

Divider 115/60 for additional partitioning of compartments U10 T115 06



5 inserts 200 mm wide, 10 dividers in total, height 60 mm for drawers at least 60 mm high

Divider 200/60 for additional partitioning of compartments U10 T200 06



For storage of surgical instruments - 10 compartments

5 inserts 200 mm wide, 5 dividers in total, height 80 mm for drawers at least 100 mm high

Divider 200/80 for additional partitioning of compartments U10 T200 08



Drawer divider for storage of sterile implants -

Series U21

Combination plastics/powder-coated sheet steel in RAL 9010, pure white

Transverse divider set in 4 compartments

 40 mm high, starting at drawers 60 mm high
 U21 Q67 110 04 4

 80 mm high, starting at drawers 100 mm high
 U21 Q67 110 08 4

 140 mm high, for drawers 150 mm oder 185 mm high
 U21 Q67 110 14 4

for additional transverse division:

Plastic divider legde, 40 mm high

Plastic divider legde, 80 mm high

U21 T67 04 1

U21 T67 08 1

Plastic divider legde, 140 mm high

U21 T67 14 1



Drawer divider for storage of film-wrapped materials -

Series U21

Combination plastics/powder-coated sheet steel in RAL 9010, pure white

Longitudinal divider set in 3 compartments

 40 mm high, starting at drawers 60 mm high
 U21 L67 110 04 3

 80 mm high, starting at drawers 100 mm high
 U21 L67 110 08 3

 140 mm high, for drawers 150 mm or 185 mm high
 U21 L67 110 14 3

for additional transverse division:

Plastic divider legde, 40 mm high

Plastic divider legde, 80 mm high

U21 T110 04

U21 T110 08

Plastic divider legde, 140 mm high

U21 T110 14





U21 VM67 110 08 14

ART. NO.

ILLUSTRATION DESCRIPTION



Drawer division for storage of utensils – Series U21 Combination plastics/powder-coated sheet steel in RAL 9010, pure white

Cross divider set in 9 compartments

40 mm high, starting at drawers 60 mm high
80 mm high, starting at drawers 100 mm high
140 mm high, for drawers 150 mm or 185 mm high
U21 VB67 110 04 9
U21 VB67 110 08 9
U21 VB67 110 14 9



Cross divider set in 12 compartments

 40 mm high, starting at drawers 60 mm high
 U21 VC67 110 04 12

 80 mm high, starting at drawers 100 mm high
 U21 VC67 110 08 12

 140 mm high, for drawers 150 mm or 185 mm high
 U21 VC67 110 14 12



Drawer division for storage of sulture – Series U21 Combination plastics/powder-coated sheet steel

in RAL 9010, pure white **14 compartments**, 80 mm high, starting at drawers
100 mm high

for additional division:

Plastic divider (center) 127 mm wide, 80 mm high U21 T 0127 08 Plastic divider (external) 141 mm wide, 80 mm high U21 T 0141 08



Label strip, magnetic back, open at top

height 32 mm, length 105 mm
289-32 105
height 32 mm, length 250 mm
289-32 250
height 32 mm, length 400 mm
289-32 400
height 60 mm, length 105 mm
289-60 105
height 60 mm, length 250 mm
289-60 250
height 60 mm, length 400 mm
289-60 400



Inscription label strip, magnetic back with label card and transparent cover

height 20 mm, length 1000 mm 289 110 20 height 40 mm, length 1000 mm 289 110 40



Label pocket, magnetic back

100 x 35 mm high, open at side, with label card	289-01
100 x 50 mm high, open at side, with label card	289-02
90 x 60 mm high, open at top	289-03
A4, open at top	289-05



ILLUSTRATION



DESCRIPTION

ART. NO.

Pullout drawer for sterile gloves

first in/first out principle
with raised shelf at rear, free space at front approx.
295 mm deep
powder-coated sheet steel in RAL 9010, pure white

B01 A67 110 020-000



Multi purpose pullout drawers For sterile goods, packaged material and surgical laundry, or storage of surgical equipment

powder-coated sheet steel in RAL 9010, pure white with ledge handle

Multi purpose pullout drawer

edge 60 mm high with pullout chrome nickel steel support plate 20 mm high

B01 A67 110 020-060



Multi purpose pullout drawer for equipment multiple outlet power strips, 6 connections,

total height 300 mm (electrical connection to be determined)

B01 A67 110 020-300



Special anaesthesia suspension

Made of chrome nickel steel, 6 combination hooks for about 18 tubes and anaesthesia bags

Special anaesthesia suspension rear, 6 specialized hooks V01 0230 67 110 Special anaesthesia suspension center, 6 specialized hooks V01 0233 67 110



Suspension for surgical table accessories

Made of chrome nickel steel, suspension with standard equipment rail

V01 0240 67 110



ILLUSTRATION



DESCRIPTION

Rail for x-ray aprons in chrome nickel steel with 7 hooks, approx. 475 mm long

V01 0280 67 110

ART. NO.



Storage for catheters

or shrink wrapped one way or multi purpose products

Made of chrome nickel steel with 6 hooks, additional hooks available if needed, total of 15 drill holes

Catheter suspension rear, 6 hooksV01 0200 67 110Catheter suspension center, 6 hooksV01 0203 67 110Catheter suspension front, 6 hooksV01 0206 67 110additional hook may be screwed on, if necessary,V01 0200

additional nook may be screwed on, if necessary, usable length 135 mm



Catheter suspension telescopic

mounted on shelf,

7 telescope extensions with 5 welded-on hooks each powder-coated sheet steel in RAL 9010, pure white

Catheter rail with 5 hooks

for mounting on reinforced shelf (552 67 110VS or 554 67 110VS - see page 94.3) powder-coated sheet steel in RAL 9010, pure white

B01 0250

B01 0250 67 110



Catheter storage rail, double-sided, telescopic

mounted on shelf.

4 catheter pullouts with 10 chrome nickel steel hooks each (74 possible hook positions per unit) powder-coated sheet steel in RAL 9010, pure white

Catheter rail, double-sided

with 10 chrome nickel steel hooks and 74 possible positions for mounting on a reinforced shelf (552 67 110VS or 554 67 110VS - see page 94.3) powder-coated sheet steel in RAL 9010, pure white

B01 0255 67

B01 0255 67 110



ILLUSTRATION



DESCRIPTION ART. NO.

Storage frame for catheter packs, stents and staples

telescopic, with special division into 18 compartments powder-coated sheet steel RAL 9010, pure white

Height = 500 mm B01 0270 67 110 050

Height = 700 mm B01 0270 67 110 070

Height = 900 mm B01 0270 67 110 090



Fogarty catheter rack, telescopic

first in/first out principle, 10 slots, 330 mm wide, powder-coated sheet steel in RAL 9010, pure white for mounting on a reinforced shelf (552 67 110VS or 554 67 110VS - see page 94.3)

Please state from which side the catheters are to be removed.

B01 0260 67



ILLUSTRATION

DESCRIPTION

body.

ART. NO.

Conversion kit StU storage cabinet M11

B01 MTW67 200 02

2 removable dividing walls with grid ledges to accommodate suitable trays and pull-out drawers for storage of containers, sieves or goods with nominal dimensions StU DIN 300/600. Powder-coated sheet steel in the same colour as cabinet



Also available in chrome nickel steel!



Tray for StU

163050

single-walled, chrome nickel steel, including shelf support



Tray for StU, perforated

single-walled, chrome nickel steel, including shelf support

163055



Tray for StU on fully extendible pull-out rail

single-walled, chrome nickel steel

163060

Tray StU, for perforated, on fully extendible pull-out rail

single-walled, chrome nickel steel

163065













Becker high-grade steel furniture and equipment have been in use in hospitals and medical centres for decades. Optimum use of available space is achieved through an extensive assortment of programs and sizes.

Special designs and individual choice of colours as well as custom-built systems offer the customer an enormous variety of options.

Metallwarenfabrik Walter H. Becker GmbH Anzenkirchener Str. 4 84371 Triftern, Germany

Tel. +49(0)8562 9605-0 Fax +49(0)8562 9605-64 info@becker-triftern.de www.becker-triftern.de